



Downloadcenter

Medical Device Regulation (MDR)

Sinds 26 mei 2021 gelden in de Europese Unie (EU) meer en strengere regels voor medische hulpmiddelen (MDR). Alle medische producten / hulpmiddelen dienen met een CE-markering te worden aangeduid. Met een CE-markering wordt aangegeven dat dit product voldoet aan de minimumeisen die de EU stelt op het gebied van veiligheid, gezondheid, milieu en consumentenbescherming. De CE-markering die op al onze producten van toepassing zijn tonen aan dat deze producten vrij verhandeld mogen worden binnen de EER - Europese Economische Ruimte. De producten met een CE-markering dienen volgens de nieuwe regelgeving middels een UDI (**Unique Device Identification**) te worden uitgegeven. Hieronder alle informatie over de intreding van de MDR.

What is the MDR?

The MDR (Medical Device Regulation) is the new European medical device regulation. It entered into force on May 25, 2017, and its date of application is mandatory as of May 26, 2021. The regulation forms the new EU legal framework for medical devices and replaces the previous Medical Device (MDD (93/42/EEC)).

The MDR defines extended obligations for all economic operators including manufacturers and distributors who are part of the supply chain of a medical device. Compliance with these requirements is a prerequisite for placing the medical devices on the Europe market.


In comparison to the MDD, the MDR as a European regulation does not have to be implemented into national law first. It will therefore apply directly in Germany from May 26, 2021.

What are the objectives of the MDR?

The MDR is intended to

- ensure a high level of health protection for patients and users
- set standards for increasing the quality and safety of medical devices
- guarantee a functioning EU internal market for medical devices
- introduce provisions to ensure transparency and traceability of medical devices throughout their life cycle

Implementation deadlines



Important note:

All products placed on the market under the MDD by May 26, 2024 may be continued to be distributed until May 27, 2025 ("sell-off clause"). Distributors may sell MDD-compliant products that have already been placed on the market for the first time until May 27, 2025. Products that have already been supplied to end users (e.g. dental laboratories) by the end of this transitional period can be used after this date.

MDR: What's new?

- The MDR introduces the term "economic operator" (which includes, among others, manufacturers and distributors and defines their obligations).
- The requirements for manufacturers with regard to the content of the Technical Documentation are significantly more extensive. Documents must be continuously updated.
- The obligations for post-market surveillance have been significantly expanded. This affects not only manufacturers, but also other [economic operator].
- Clinical evaluations and clinical trials are regulated and required in more detail with regard to the form and quality of clinical data.
- The requirements for the information that must be supplied with a medical device (labeling, instructions for use) have been significantly expanded.
- Each product must be given a unique device identification number UDI.
- All medical devices must be labeled as medical devices. prtidenta will indicate this by using the "MD symbol". We print this symbol directly on the packaging.
- The classification of certain products will change.
- Medical device manufacturers must designate a qualified person in the company who must have extensive expertise in the field of medical devices and is responsible for regulatory compliance.
- The document retention period has been significantly extended from 5 to 10 (for implantable

devices to 15) years.

- The requirements for Notified bodies have been increased. At the same time, they will in future be obliged to perform unannounced audits of manufacturers at least once every 5 years.
- The European database EUDAMED has been expanded. Up to now, only government institutions had access to EUDAMED. In the future, manufacturers, Notified Bodies and the public will also have access to it.

Hieronder vindt u een overzicht met links die verwijzen naar onze leveranciers, gebruiksinstructies, informatie- en veiligheidsbladen van onze MDR / CE-gecertificeerde producten.

D:

[Dreve Dentamid](#)

[Dreve Sonic XL 4K Phrozen printer](#)

E:

[Exocad-DentalCAD Documentaion - index of Topics](#)

[Exocad-Bar \(steggen\)module](#)

P:

[Pritidenta® GmbH](#)

S:

[Schütz Dental GmbH](#)

[Siladent GmbH](#)

T:

[Target 3D implant library](#)

U:

[unidesa-odi](#)

W:

[Wassermann](#)

- [A](#)
- [B](#)
- [C](#)
- [D](#)
- [E](#)
- [F](#)
- [G](#)
- [H](#)
- [I](#)
- [J](#)
- [K](#)
- [L](#)
- [M](#)
- [N](#)

- [Q](#)
- [P](#)
- [R](#)
- [S](#)
- [T](#)
- [U](#)
- [V](#)
- [W](#)
- [Y](#)
- [Z](#)

 [Aderen_NL.pdf \(31.3 KiB\)](#)

 [Adisil blauw - component A.pdf \(175.8 KiB\)](#)

 [Adisil blauw - component B - coloured.pdf \(172.8 KiB\)](#)

 [Adisil pink - component A.pdf \(246.6 KiB\)](#)

 [Adisil pink - component B - coloured.pdf \(246.0 KiB\)](#)

 [Adisil rapid - component A.pdf \(169.9 KiB\)](#)

 [Adisil rapid - component B.pdf \(168.0 KiB\)](#)

 [Adisil transparant - component A.pdf \(177.0 KiB\)](#)

 [Adisil transparant - component B.pdf \(176.9 KiB\)](#)

 [After Bleaching Care \(NL\).pdf \(39.9 KiB\)](#)

 [Aktivierungsloesung_fuer_Vorvergoldung__\(NL_.\).pdf \(152.4 KiB\)](#)

 [Alabastergips Spezial TYPE 2.pdf \(148.7 KiB\)](#)

 [Alabastergips Universal_1-5_gips.pdf \(163.3 KiB\)](#)

 [Algidur-Liquid.pdf \(233.7 KiB\)](#)

 [Alginaat_Trealgin_Chromatic_NL.pdf \(82.6 KiB\)](#)

 [Alphablast M 25 M 50 \(NL\).pdf \(32.0 KiB\)](#)

 [Alphabond_\(NL\).pdf \(73.7 KiB\)](#)

 [AlphaDie_MF,_Fuellstoff__\(NL_.\).pdf \(31.9 KiB\)](#)

-  [AlphaDie MF, Haerter \(NL \).pdf \(162.5 KiB\)](#)
-  [AlphaDie MF, Harz \(NL\).pdf \(81.2 KiB\)](#)
-  [AlphaDie separator isolatiemiddel NL.pdf \(297.6 KiB\)](#)
-  [AlphaForm.pdf \(26.5 KiB\)](#)
-  [AlphaForm_NL.pdf \(29.2 KiB\)](#)
-  [Alphalink Cem NL.pdf \(96.1 KiB\)](#)
-  [Alphalink Implant_NL.pdf \(39.4 KiB\)](#)
-  [Alphalink_NL.pdf \(95.4 KiB\)](#)
-  [Alphalot_Au-Cr_NL.pdf \(32.4 KiB\)](#)
-  [Alphalot S C_NL.pdf \(32.8 KiB\)](#)
-  [Alphashine_\(NL\).pdf \(32.0 KiB\)](#)
-  [Alphatop RF \(NL\).pdf \(33.7 KiB\)](#)
-  [Alpha_OKM_\(NL\).pdf \(32.9 KiB\)](#)
-  [Aluminium Oxide.pdf \(259.9 KiB\)](#)
-  [Articulorgips natuurgips TYPE 2.pdf \(163.3 KiB\)](#)
-  [Articulorgips synthetisch gips TYPE 2.pdf \(163.3 KiB\)](#)
-
-  [Bims-Sep puimsteenpasta.pdf \(84.0 KiB\)](#)
-  [Biotan_Nb_\(NL\).pdf \(42.7 KiB\)](#)
-  [Bleach'n Smile Automix GB 19052020.pdf \(573.8 KiB\)](#)
-  [Bleach'n Smile Dental Dam GB 19052020.pdf \(455.8 KiB\)](#)
-  [Block-Out Resin \(NL\).pdf \(87.0 KiB\)](#)

 [CAM-Stone N TYPE 4.pdf \(163.3 KiB\)](#)

 [Capo_Bond_\(NL\).pdf \(164.3 KiB\)](#)

 [Capo_Bond_Aktivator_\(NL\).pdf \(129.0 KiB\)](#)

 [Capo_Bulk_Fill_Capo_Bulk_Fill_Plus_DE.pdf \(42.1 KiB\)](#)

 [Capo_Capo_natural_Capo_Flow_\(NL\).pdf \(75.4 KiB\)](#)

 [Capo_Etch_\(NL\).pdf \(138.7 KiB\)](#)

 [Capo_Slow_Flow_\(NL\).pdf \(75.1 KiB\)](#)

 [CoCr_BioStar.pdf \(205.9 KiB\)](#)

 [COCR_Laserschweissdraht_\(NL_.pdf \(34.6 KiB\)](#)

 [Comtray_\(NL\).pdf \(38.6 KiB\)](#)

 [Conofix_pint.pdf \(309.6 KiB\)](#)

 [Dental_waxes.pdf \(248.1 KiB\)](#)

 [Detax_Freeprint®_cast_2.0_UV_EN_1,01_983_n.pdf \(141.2 KiB\)](#)

 [Detax_Freeprint®_cast_UV_EN_2,04_11089_n.pdf \(135.7 KiB\)](#)

 [Detax_Freeprint®_denture_385_EN_1,00_1115_n.pdf \(154.2 KiB\)](#)

 [Detax_Freeprint®_gingiva_UV_EN_1,00_1045_n.pdf \(155.5 KiB\)](#)

 [Detax_Freeprint®_model_2.0_UV_EN_1,03_1062_n.pdf \(161.6 KiB\)](#)

 [Detax_Freeprint®_model_385_EN_2,05_935_n.pdf \(147.8 KiB\)](#)

 [Detax_Freeprint®_ortho_385_EN_1,06_839_n.pdf \(154.0 KiB\)](#)

 [Detax_Freeprint®_ortho_EN_1,06_838_n.pdf \(147.4 KiB\)](#)

 [Detax_Freeprint®_temp_385_EN_1,01_919_n.pdf \(159.9 KiB\)](#)



[!\[\]\(08a82c22d89d6b027ff69762ad096586_img.jpg\) Detax_Freepoint® tray UV_EN_1,02_925_n.pdf \(147.7 KiB\)](#)

[!\[\]\(35e4f762fc1cfea5610d92e2d225d5b4_img.jpg\) dialog_glaze_NL.pdf \(33.8 KiB\)](#)

[!\[\]\(d84e7ea36f695d92cb39ec32c307ac93_img.jpg\) dialog_NL.pdf \(74.5 KiB\)](#)

[!\[\]\(feabb98897b440bc8695a03336a6e2df_img.jpg\) dialog_Occlusal_NL.pdf \(74.9 KiB\)](#)

[!\[\]\(9dfdaff1d86ba3c1f8353b4d1b61b8c5_img.jpg\) dialog_Opaker_poeder_Sebond_opaker_pink_NL.pdf \(148.9 KiB\)](#)

[!\[\]\(83f22ed94ec5517769dd76d702c6bfd8_img.jpg\) dialog_Pastenopaker_\(NL\).pdf \(96.8 KiB\)](#)

[!\[\]\(8d0f0e0fe25b320c33272c52aec1fbca_img.jpg\) dialog_Polijstpasta_NL.pdf \(31.5 KiB\)](#)

[!\[\]\(642aa997563f9a325b310230bb5078b7_img.jpg\) dialog_Vario_\(NL\).pdf \(74.2 KiB\)](#)

[!\[\]\(2b376d1a92330ab09dad2665d2f89bf5_img.jpg\) dialog_Vario_Chroma_Flow_NL.pdf \(87.1 KiB\)](#)

[!\[\]\(3cb60d42b10e53f9522bb0b392c1c4cd_img.jpg\) dialog_Vario_Flow_\(NL\).pdf \(75.0 KiB\)](#)

[!\[\]\(d0262bbe9d2356661a2e89321dfcc781_img.jpg\) dialog_Vario_Pastaopaker_NL.pdf \(95.1 KiB\)](#)

[!\[\]\(51514032c8ca341817228f39f1307b05_img.jpg\) dialog_Vario_Polish_NL.pdf \(32.0 KiB\)](#)

[!\[\]\(c444627dab9fee9a1550c053ffaaaae2_img.jpg\) dialog™_bonding_fluid_DE.pdf \(737.9 KiB\)](#)

[!\[\]\(0d7ca0919e6c47bbd874bfa0189fe22e_img.jpg\) dialog™_modelleervloeistof_GB.pdf \(677.8 KiB\)](#)

[!\[\]\(274fd520e03b61c1b9ffc861754cacdc_img.jpg\) Diamant_polijstpasta_D7.pdf \(350.1 KiB\)](#)

[!\[\]\(f219cfc00b8db0cd1a81ae1fc9afaf28_img.jpg\) Diamant_polijstpasta_D15.pdf \(350.1 KiB\)](#)

[!\[\]\(06a315363e7801bba8c7489a6694af19_img.jpg\) Die_Keen_natuurgips_TYPE_5.pdf \(163.3 KiB\)](#)

[!\[\]\(683dba75afe26e28cd4de5730b776760_img.jpg\) Die_Stone_natuurgips_TYPE_4.pdf \(163.3 KiB\)](#)

[!\[\]\(df47d6bec273bbb8b349135fff3a20f7_img.jpg\) Dr._Balzer_natuurgips_TYPE_2.pdf \(163.3 KiB\)](#)

[!\[\]\(8aa05b4b06c05d58ddd90cdbf335b307_img.jpg\) Dreve_FotoDent_cast_385_405nm.pdf \(138.8 KiB\)](#)

[!\[\]\(465772ce2fc0e39b7001e2580b915cc2_img.jpg\) Dreve_FotoDent_dril_guide.pdf \(233.9 KiB\)](#)

[!\[\]\(dc0c40d45c42e86bc0669168926f812c_img.jpg\) Dreve_FotoDent_gingiva_385nm.pdf \(91.1 KiB\)](#)

[!\[\]\(b58c23cb5aab1cd63092eda333892cb9_img.jpg\) Dreve_Fotodent_IBT_385_nm.pdf \(166.7 KiB\)](#)

[!\[\]\(488d36215f31304317ffb20d512ebb61_img.jpg\) Dreve_FotoDent_instructie_tray2.pdf \(1.2 MiB\)](#)

-  [Dreve FotoDent model2 385nm.pdf \(76.9 KiB\)](#)
-  [Dreve FotoDent technische data.pdf \(36.9 KiB\)](#)
-  [Dreve Fotodent tray 385 405nm.pdf \(141.3 KiB\)](#)
-  [Dreve FotoDent veiligheidsblad.pdf \(151.6 KiB\)](#)
-  [Dura-halfhardgips TYPE 2.pdf \(163.3 KiB\)](#)
-  [EL-FORM S Galvano-Golddbad \(NL\).pdf \(38.2 KiB\)](#)
-  [EL-FORM S Glanzzusatz \(NL\).pdf \(42.5 KiB\)](#)
-  [EL-FORM S Vorvergoldungsbad \(NL\).pdf \(215.9 KiB\)](#)
-  [ELFORM Galvano-Golddbad \(NL\).pdf \(38.2 KiB\)](#)
-  [ELFORM Glanzzusatz \(NL\).pdf \(29.7 KiB\)](#)
-  [Excalibur natuurgips TYPE 4.pdf \(163.3 KiB\)](#)
-  [Expansievloeistof Type 100.pdf \(229.3 KiB\)](#)
-  [Expansievloeistof Type 140.pdf \(228.4 KiB\)](#)
-  [Expers \(NL\).pdf \(31.1 KiB\)](#)
-  [Flexor CC \(NL\).pdf \(32.2 KiB\)](#)
-  [Flexor CC Glanzlack \(NL\).pdf \(30.1 KiB\)](#)
-  [Flexor CC Primer \(NL\).pdf \(174.1 KiB\)](#)
-  [FotoDent gingiva 385nm Dreve.pdf \(91.1 KiB\)](#)
-  [FotoDent model2 385nm Dreve.pdf \(76.9 KiB\)](#)
-  [FuturAcryl 2000 poeder NL.pdf \(139.4 KiB\)](#)
- 

[!\[\]\(1bb72542b566d372dac2c69a59629371_img.jpg\) FuturAcryl_2000_vloeistof_NL.pdf \(288.9 KiB\)](#)

[!\[\]\(2b9000c261447981d88674ebdb52dc1e_img.jpg\) FuturaGen Pulver GB_17102022.pdf \(164.1 KiB\)](#)

[!\[\]\(7e49c700e4adaed94ad5398cf2e7059e_img.jpg\) FuturaGen vloeistof_NL_2018.pdf \(289.1 KiB\)](#)

[!\[\]\(5ebcf382a6ee952d6c5b8b948415801e_img.jpg\) FuturaGen LF vloeistof_NL.pdf \(292.5 KiB\)](#)

[!\[\]\(71ceb62b681518c82e95d615e7265d66_img.jpg\) Futura_Basic_Cold_poeder_NL.pdf \(140.1 KiB\)](#)

[!\[\]\(e10773081adcaeab632f9dd4c8931cd5_img.jpg\) Futura_Basic_Cold_vloeistof_NL.pdf \(289.1 KiB\)](#)

[!\[\]\(9c4f697052545ae4fab36076e03db94f_img.jpg\) Futura_Basic_Hot_poeder_NL.pdf \(138.7 KiB\)](#)

[!\[\]\(a69696d69cfd88b51cbd02e5288eca32_img.jpg\) Futura_Basic_Hot_vloeistof_NL.pdf \(288.9 KiB\)](#)

[!\[\]\(fc3a57079704ef1b99671c8cafae23be_img.jpg\) Futura_Intensivfarben_\(NL\).pdf \(33.8 KiB\)](#)

[!\[\]\(0ac73c45806a78de248a19d9a2dbe7a6_img.jpg\) Futura_Jet_poeder_NL.pdf \(139.3 KiB\)](#)

[!\[\]\(147b0c7dce349edf02b6b21226344f99_img.jpg\) Futura_Jet_vloeistof_NL.pdf \(288.8 KiB\)](#)

[!\[\]\(ac7494f141109b59d18bf9c3aeb84d93_img.jpg\) Futura_Polish_NL.pdf \(136.8 KiB\)](#)

[!\[\]\(d5831b2ac75eb48b4c49d27e61d24c03_img.jpg\) Futura_Press_LT_poeder_NL.pdf \(140.2 KiB\)](#)

[!\[\]\(d3d0bc9cbc0b5499f7bfafd3278057f7_img.jpg\) Futura_Press_LT_vloeistof_NL.pdf \(288.6 KiB\)](#)

[!\[\]\(3b2dcacf48e43c80086616b9c3042b47_img.jpg\) Futura_Press_N_poeder_NL.pdf \(139.4 KiB\)](#)

[!\[\]\(41959a55675a4cf6a0c75249945ddd26_img.jpg\) Futura_Press_N_vloeistof_NL.pdf \(289.2 KiB\)](#)

[!\[\]\(e97636a3328cdaccd5ffd8fe3bc69ce6_img.jpg\) Futura_Print_NL.pdf \(136.7 KiB\)](#)

[!\[\]\(c3a92afbfbcda259fe6c9d5eed0857d1_img.jpg\) Futura_Self_poeder_NL.pdf \(139.4 KiB\)](#)

[!\[\]\(d8fdd8b2bb8b1ec8f8281882eb89eb1f_img.jpg\) Futura_Self_vloeistof_NL.pdf \(289.3 KiB\)](#)

[!\[\]\(ab45609bcd3346fe6539308be8d5cbb8_img.jpg\) Futura_Sep_plus_\(NL\).pdf \(31.3 KiB\)](#)

[!\[\]\(64aa49a093b417cefcbea2338d3c32ec_img.jpg\) Gipex Tabs.pdf \(206.3 KiB\)](#)

[!\[\]\(c44c1590e4070d8cc0b28ab85cb00ddf_img.jpg\) Gipex_gipsoplosser.pdf \(245.6 KiB\)](#)



[!\[\]\(735f2da118cd09cd883392793ca5a27a_img.jpg\) Gipsil.pdf \(152.6 KiB\)](#)

[!\[\]\(be6c423ea45b0b2f0cf48f01786576dc_img.jpg\) Gipsloeser fuer EL-FORM \(NL \).pdf \(88.1 KiB\)](#)

[!\[\]\(d219eb33a83c47f5c6c63c27bbe267cb_img.jpg\) Gips_oplosmiddel_NL.pdf \(63.3 KiB\)](#)

[!\[\]\(6e934896f25e6ce1b0dbb50c23abc197_img.jpg\) Gisan Neu.pdf \(274.4 KiB\)](#)

[!\[\]\(8b57f0e15e7dda24cf9977561475f640_img.jpg\) Glasstraalparels.pdf \(200.2 KiB\)](#)

[!\[\]\(4cafc60cd39da821525d7c6589540296_img.jpg\) Glasstraalparels_08102018.pdf \(200.2 KiB\)](#)

[!\[\]\(9479d69b60a82161c6862eaa53eb4db3_img.jpg\) Granisit XF Speed inbedmassa.pdf \(213.1 KiB\)](#)

[!\[\]\(f80254b170d0ecdc443847276e625120_img.jpg\) Granisit inbedmassa_fosfaatgebonden.pdf \(213.1 KiB\)](#)

[!\[\]\(ceb7cef9f9d693d102dfe501130037c6_img.jpg\) Hoogglans polijstpasta voor Biotan NL.pdf \(113.1 KiB\)](#)

[!\[\]\(8a8ea273bba45b658cf4779d37ab61e8_img.jpg\) HS_Cross_Liquid \(NL\).pdf \(179.6 KiB\)](#)

[!\[\]\(f2b341b2842f84b06275b7e52ec9f0ae_img.jpg\) Hydrosil - component A.pdf \(177.4 KiB\)](#)

[!\[\]\(ac13c516668a3b529e385da83084b241_img.jpg\) Hydrosil - component B.pdf \(162.2 KiB\)](#)

[!\[\]\(5a09a9dfd2f1e923eccb8c24714edf51_img.jpg\) idofast instructions eng unidesa odi.pdf \(117.8 KiB\)](#)

[!\[\]\(07e95c4c760ed8b72579d140ce510c89_img.jpg\) Implafix \(NL\).pdf \(90.6 KiB\)](#)

[!\[\]\(4e9db7091c22bfa9fd8343485308f15c_img.jpg\) Impla Steri Guide \(NL\).pdf \(109.5 KiB\)](#)

[!\[\]\(cf907b6581366ac39ee91719072e5253_img.jpg\) Instructie Freeprint denture prothese \(DE\).pdf \(1.2 MiB\)](#)

[!\[\]\(eb1074bfd91059c9cff57cf6b5c22a5b_img.jpg\) Instructie Freeprint denture prothese \(ENG\).pdf \(1.2 MiB\)](#)

[!\[\]\(e11f4c47008b23dfe2f4f7c6bb9034d1_img.jpg\) Japan Stone synthetisch gips TYPE 4 .pdf \(163.3 KiB\)](#)

[!\[\]\(1f22188757847a0ffb7e4386ed38dfee_img.jpg\) JET 2000 inbedmassa.pdf \(213.1 KiB\)](#)

 [Juvora Peek donker ivoor medical.pdf \(178.4 KiB\)](#)

 [Kontursil - component A.pdf \(173.2 KiB\)](#)

 [Kontursil - component B.pdf \(166.7 KiB\)](#)

 [Korit_Abrasiv_straalmiddel.pdf \(85.3 KiB\)](#)

 [Kuevettenspray_\(NL_\).pdf \(107.6 KiB\)](#)

 [Leitsilberlack_fuer_EL-FORM_\(NL_\).pdf \(161.6 KiB\)](#)

 [Marmodent® natuurgips TYPE 3.pdf \(163.3 KiB\)](#)

 [Marmodent® S synthetisch gips TYPE 3.pdf \(163.3 KiB\)](#)

 [MarmoDie natuurgips TYPE 5.pdf \(148.7 KiB\)](#)

 [Marmogel.pdf \(138.7 KiB\)](#)

 [Marmoplast® N superhardgips TYPE 4.pdf \(163.3 KiB\)](#)

 [Marmorock® 20 natuurgips TYPE 4.pdf \(163.3 KiB\)](#)

 [Marmorock® 24 natuurgips TYPE 4.pdf \(148.7 KiB\)](#)

 [Marmorock® E natuurgips TYPE 5.pdf \(163.3 KiB\)](#)

 [Marmorock® Saphir synthetisch gips TYPE 4.pdf \(163.3 KiB\)](#)

 [Marmorock® Speed natuurgips TYPE 4.pdf \(163.3 KiB\)](#)

 [MarmoScan-Lak.pdf \(241.1 KiB\)](#)

 [MarmoScan-Spray Basic.pdf \(371.0 KiB\)](#)

 [MarmoScan-Spray Plus.pdf \(259.4 KiB\)](#)

-  [Marmosep G.pdf \(366.3 KiB\)](#)
-  [Marmosep K.pdf \(141.9 KiB\)](#)
-  [Marmovest G inbedmassa.pdf \(156.5 KiB\)](#)
-  [Microclean reinigingsapparaat_eng.pdf \(201.4 KiB\)](#)
-  [Microform_gruen_Doubliermasse_\(NL_\).pdf \(33.2 KiB\)](#)
-  [Microkorund_\(NL\).pdf \(31.5 KiB\)](#)
-  [Microlit_C_\(NL\).pdf \(34.2 KiB\)](#)
-  [Microlit_isi_NL.pdf \(189.3 KiB\)](#)
-  [Micronium_Exclusiv_NL.pdf \(184.8 KiB\)](#)
-  [Micronium_N_10_NL.pdf \(184.4 KiB\)](#)
-  [Micropol_\(NL\).pdf \(29.0 KiB\)](#)
-  [Micro_inbedmassa.pdf \(213.1 KiB\)](#)
-  [Modelit® natuurgips TYPE 3.pdf \(163.3 KiB\)](#)
-  [Modulin_Comp_\(NL\).pdf \(74.6 KiB\)](#)
-  [Mounting Stone natuurgips TYPE 2.pdf \(148.7 KiB\)](#)
-
-  [NanoPaq_NL.pdf \(74.8 KiB\)](#)
-  [Natura natuurgips TYPE 3.pdf \(163.3 KiB\)](#)
-  [Neo Marmorit® E modelhardgips TYPE 3.pdf \(163.3 KiB\)](#)
-  [Neo Marmorit® natuurgips TYPE 3.pdf \(163.3 KiB\)](#)
-  [Neo Marmorit® speed natuurgips TYPE 3.pdf \(163.3 KiB\)](#)
-  [Neo Marmorit® super natuurgips.pdf \(150.6 KiB\)](#)
-  [Neo Marmorit® super natuurgips TYPE 3+4.pdf \(163.3 KiB\)](#)

-  [Neo Stone synthetisch gips TYPE 4.pdf \(163.3 KiB\)](#)
-  [Neutralit.pdf \(255.9 KiB\)](#)
-  [Neutrasil.pdf \(255.9 KiB\)](#)
-  [Nicor_\(NL\).pdf \(40.1 KiB\)](#)
-  [Not_Hot_\(NL\).pdf \(84.9 KiB\)](#)
-  [Nuance 750 850 Glasurfluessigkeit Malfarbenfluessigkeit_\(NL_\).pdf \(33.1 KiB\)](#)
-  [Nuance 750 850 Glasur_G_\(NL\).pdf \(33.2 KiB\)](#)
-  [Nuance 750 850 Glasur Paste Glace_\(NL\).pdf \(32.7 KiB\)](#)
-  [Nuance 750 850 Isolierfluessigkeit_\(NL_\).pdf \(32.5 KiB\)](#)
-  [Nuance 750 850 Keramikmassen_\(NL\).pdf \(32.1 KiB\)](#)
-  [Nuance 750 850 Malfarben_\(NL\).pdf \(31.4 KiB\)](#)
-  [Nuance 750 850 Modellierfluessigkeit LM_\(NL_\).pdf \(32.2 KiB\)](#)
-  [Nuance 750 850 Opakerfluessigkeit_\(NL_\).pdf \(52.6 KiB\)](#)
-  [Nuance 750 850 Pastenopaker_\(NL\).pdf \(33.4 KiB\)](#)
-  [Nuance 750 850 Schultermassenfluid LS_\(NL\).pdf \(32.2 KiB\)](#)
-  [Nuance 750 Presskeramik - Pellets_\(NL\).pdf \(31.7 KiB\)](#)
-
-  [Occlusiespray DFS groen DE.pdf \(199.6 KiB\)](#)
-  [Occlusiespray Mark S groen NL.pdf \(239.7 KiB\)](#)
-  [Orthoplaster natuurgips orthodontie.pdf \(163.3 KiB\)](#)
-  [Orthosin-Uni_vloeistof_NL.pdf \(185.3 KiB\)](#)
-  [Orthosin kleurconcentraat NL.pdf \(173.0 KiB\)](#)
-  [Orthosin_Uni_poeder_NL.pdf \(33.9 KiB\)](#)

-  [PaintAcryl Fluessigkeit \(NL \).pdf \(221.5 KiB\)](#)
-  [PaintAcryl Pulver \(NL\).pdf \(91.4 KiB\)](#)
-  [PCS-Cleaner \(NL\).pdf \(166.7 KiB\)](#)
-  [PCS_Malfarbe \(NL\).pdf \(167.7 KiB\)](#)
-  [PCS_Primer \(NL\).pdf \(167.0 KiB\)](#)
-  [Perawax gietwaspennen.pdf \(209.7 KiB\)](#)
-  [Poliresin_desinfecterend_poliijstmiddel.pdf \(428.4 KiB\)](#)
-  [Premium_inbedmassa.pdf \(213.1 KiB\)](#)
-  [Premium_washechtmiddel.pdf \(369.7 KiB\)](#)
-  [Presto Vest II_inbedmassa.pdf \(213.1 KiB\)](#)
-  [PrimeBond7_DE.pdf \(57.3 KiB\)](#)
-  [Pritidenta multidisc ZrO2.pdf \(165.5 KiB\)](#)
-  [Profisep 2010.pdf \(364.2 KiB\)](#)
-  [Profisep Clean.pdf \(420.4 KiB\)](#)
-  [Profit_Basismasse \(NL\).pdf \(73.2 KiB\)](#)
-  [Profit_Haerter \(NL \).pdf \(268.5 KiB\)](#)

-  [Rapidex.pdf \(244.6 KiB\)](#)
-  [Reinigungsfluid_gruen_\(saeurehaltig \)_\(NL \).pdf \(154.0 KiB\)](#)
-  [Relight_Haftvermittler \(NL\).pdf \(167.6 KiB\)](#)
-  [Relight_Versiegelungslack \(NL\).pdf \(187.2 KiB\)](#)
-  [Relight Cleaner \(NL\).pdf \(166.4 KiB\)](#)

 [ReVeneer Base \(NL\).pdf \(45.0 KiB\)](#)

 [ReVeneer Composite \(NL\).pdf \(75.1 KiB\)](#)

 [ReVeneer Opaker \(NL\).pdf \(95.1 KiB\)](#)

 [ReVeneer Primer \(NL\).pdf \(169.9 KiB\)](#)

 [Sebond Dentin Bond Opaker \(NL\).pdf \(88.9 KiB\)](#)

 [Sebond Grip \(NL\).pdf \(39.2 KiB\)](#)

 [Sebond Implant \(NL\).pdf \(129.1 KiB\)](#)

 [Sebond Opaker Fluid \(NL\).pdf \(184.9 KiB\)](#)

 [Sebond Pink \(NL\).pdf \(92.9 KiB\)](#)

 [Sebond Smart \(NL\).pdf \(170.5 KiB\)](#)

 [Sebond Smart Zirkonbonder \(NL\).pdf \(170.7 KiB\)](#)

 [Sebond Universal \(NL\).pdf \(165.7 KiB\)](#)

 [SeptProtectol Plus \(NL\).pdf \(46.9 KiB\)](#)

 [Silafill.pdf \(148.4 KiB\)](#)

 [Silaform Gingiva Soft.pdf \(147.0 KiB\)](#)

 [Silaform® 80 medium hard.pdf \(200.2 KiB\)](#)

 [Silaform® 85 K.pdf \(194.5 KiB\)](#)

 [Silaform® 90 extra-hard.pdf \(195.1 KiB\)](#)

 [Silaform® Gingiva.pdf \(199.3 KiB\)](#)

 [Silaform® Gingiva Sep.pdf \(284.7 KiB\)](#)

 [Silaform® hardener.pdf \(274.3 KiB\)](#)

 [SilaPoly - blauw.pdf \(340.1 KiB\)](#)

-  [SilaPoly - geel.pdf \(340.3 KiB\)](#)
-  [SilaPoly - groen.pdf \(350.7 KiB\)](#)
-  [SilaPoly - rood.pdf \(340.2 KiB\)](#)
-  [SilaPoly - wit.pdf \(340.3 KiB\)](#)
-  [SilaPoly - zwart.pdf \(339.9 KiB\)](#)
-  [SilaPoly.pdf \(321.5 KiB\)](#)
-  [SilaPrint cast UV.pdf \(288.5 KiB\)](#)
-  [SilaPrint model UV.pdf \(195.5 KiB\)](#)
-  [Silatray_102903.pdf \(193.4 KiB\)](#)
-  [Silvavest GOLD inbedmassa.pdf \(213.1 KiB\)](#)
-  [Sokkelgips FL vloeibaar TYPE 4.pdf \(163.3 KiB\)](#)
-  [Sokkelgips natuurgips TYPE 4.pdf \(163.3 KiB\)](#)
-  [Straalmiddel HS Strahlperlen.pdf \(30.6 KiB\)](#)
-  [Straalmiddel Korit_Abrasiv_10042019.pdf \(85.3 KiB\)](#)
-  [Straalmiddel Edelkorund_25092018.pdf \(150.0 KiB\)](#)
-
-  [TeleVest_inbedmassa.pdf \(424.2 KiB\)](#)
-  [Temdent Classic poeder NL.pdf \(38.4 KiB\)](#)
-  [Temdent Classic vloeistof NL.pdf \(287.3 KiB\)](#)
-  [TemRay \(NL\).pdf \(109.5 KiB\)](#)
-  [Titanium BioStar ° 2_4 .pdf \(105.3 KiB\)](#)
-  [Titanium BioStar °5.pdf \(105.4 KiB\)](#)
-  [Tizian_Blank_5.0_ZrO2_ENG.pdf \(103.6 KiB\)](#)

 [Tizian Blank NEM \(NL\).pdf \(42.8 KiB\)](#)

 [Tizian Blank PEEK Tizian Blank PEEK White \(NL\).pdf \(33.2 KiB\)](#)

 [Tizian Blank PMMA \(NL\).pdf \(32.5 KiB\)](#)

 [Tizian Blank PMMA Splint 220220 220221 220222.pdf \(806.5 KiB\)](#)

 [Tizian Blank Polycarbonat \(NL\).pdf \(32.6 KiB\)](#)

 [Tizian Blank Translucent \(NL\).pdf \(32.3 KiB\)](#)

 [Tizian Blank Zirkondioxid Tizian Blank Color Tizian Blank Occlusal Tizian Blank Translucent Tizian Blank High Transluce.pdf \(34.6 KiB\)](#)

 [Tizian Fix Basis \(NL\).pdf \(73.0 KiB\)](#)

 [Tizian Fix Haerter \(NL\).pdf \(267.6 KiB\)](#)

 [Tizian Flow Resin \(NL\).pdf \(90.7 KiB\)](#)

 [Tizian Scanspray \(NL\).pdf \(137.2 KiB\)](#)

 [Tizian Ti Keramikmassen \(NL\).pdf \(31.0 KiB\)](#)

 [Tizian Ti Keramik Glasurfluid \(NL\).pdf \(32.7 KiB\)](#)

 [Tizian Ti Keramik Glasur \(NL\).pdf \(31.1 KiB\)](#)

 [Tizian Ti Keramik Liner \(NL\).pdf \(31.3 KiB\)](#)

 [Tizian Ti Keramik Liner Fluid \(NL\).pdf \(32.0 KiB\)](#)

 [Tizian Ti Keramik Malfarben \(NL\).pdf \(31.4 KiB\)](#)

 [Tizian Ti Keramik Modellierfluid \(NL\).pdf \(31.9 KiB\)](#)

 [Tizian Ti Keramik Opakerfluid \(NL\).pdf \(51.8 KiB\)](#)

 [Tizian Ti Keramik Opaker Pulver \(NL\).pdf \(31.5 KiB\)](#)

 [Tizian Ti Keramik Schultermassenfluessigkeit \(NL\).pdf \(32.3 KiB\)](#)

 [Tizian Ti Keramik Schultermassenisolierung \(NL\).pdf \(32.5 KiB\)](#)

 [Tizian Zirkonverstaerktes Komposit \(NL\).pdf \(32.6 KiB\)](#)

 [TrayAcryl 86, Fluessigheit \(NL \).pdf \(185.6 KiB\)](#)

 [TrayAcryl 86, Pulver \(NL\).pdf \(33.1 KiB\)](#)

 [Tresident 2000 DH \(NL\).pdf \(32.2 KiB\)](#)

 [Tresident 2000 K \(NL\).pdf \(43.1 KiB\)](#)

 [Tru Stone natuurgips TYPE 4.pdf \(148.7 KiB\)](#)

 [Ultrasoon polijstpastareiniger.251020.pdf \(232.3 KiB\)](#)

 [Ultrasoon reinigingsmiddel voor tandsteenafzetting.251011.pdf \(239.4 KiB\)](#)

 [Unipress Jet-Wachs Kanalwachs \(NL\).pdf \(32.5 KiB\)](#)

 [Universal alabastergips TYPE 2.pdf \(148.7 KiB\)](#)

 [Vesto soldeerinbedmassa bruin.pdf \(156.5 KiB\)](#)

 [WAM_70_NL.pdf \(131.8 KiB\)](#)

 [Wasblank BioStar met schouder.pdf \(211.7 KiB\)](#)

 [Wasblank Biostar SilaPart.pdf \(88.3 KiB\)](#)

 [Washechtmiddel verdunner.pdf \(259.6 KiB\)](#)

 [Waslijm.pdf \(266.5 KiB\)](#)

 [Water Protect Reiniger NL.pdf \(55.7 KiB\)](#)

 [YuDent_Dental_Peek.pdf \(153.3 KiB\)](#)

 [Zirkon BioStar HT Smile Colour.pdf \(270.9 KiB\)](#)

 [Zirkon BioStar HT Smile Zirkon BioStar S-HT Smile Zirkon BioStar L-HT Smile.pdf \(193.9 KiB\)](#)

 [Zirkoon BioStar HT Smile Multilayer.pdf \(274.4 KiB\)](#)

 [Zirkoon BioStar S wit opaak_Zirkon BioStar L.pdf \(312.6 KiB\)](#)

 [Zirkoon BioStar S_L.pdf \(312.6 KiB\)](#)

Please activate Javascript to use this feature. var tabs = new MGFX.Tabs('.tab','char',{ autoplay: false, transitionDuration:500, slideInterval:3000, hover:true });